

Universitas Ngudi Waluyo
Program Studi S1 Kebidanan, Fakultas Ilmu Kesehatan
Skripsi, Februari 2021
Asri Ainun Habibie
152191078

GAMBARAN PENGETAHUAN IBU NIFAS TENTANG PIJAT OKSITOSIN DI DESA BRANJANG TAHUN 2020

ABSTRAK

Latar Belakang : Menurut data profil kesehatan Indonesia 2016 tentang cakupan ASI eksklusif secara nasional pada bayi 0 – 5 bulan sebesar 54,0% dan bayi sampai usia enam bulan adalah sebesar 29,5%. Sedangkan di Dinas Kesehatan Kabupaten Semarang Tahun 2014 Cakupan bayi yang di beri ASI eksklusif di Kabupaten Semarang Tahun 2014 sebesar 21,3% menurun bila dibandingkan Tahun 2013 sebanyak 36,29%. Hasil studi pendahuluan yang dilakukan banyak ibu nifas menjawab tidak mengetahui tentang pijat oksitosin.

Metode : Jenis penelitian ini menggunakan deskriptif. Populasi dalam penelitian ini yaitu seluruh ibu nifas di pada 2 januari 2021 sehingga pengambilan sampel dengan metode *total sampling* yaitu 30 responden dengan alat pengumpulan data berupa kuesioner.

Hasil : Hasil penelitian menunjukan bahwa pengetahuan ibu Tentang Pijat Oksitosin sebagian besar dikategorikan kurang, yaitu sejumlah 18 responden (60.0%), dan berpengetahuan cukup sejumlah 3 responden (10.0%). Sebagian besar pengetahuan ibu kurang, dikarenakan ibu dengan tingkat pendidikan SMA sebanyak 23 responden (76,7%), Selain itu, sebagian besar ibu bekerja sebanyak 16 responden (53.3%).

Simpulan : Hasil Penelitian dapat disimpulkan bahwa sebagian besar ibu nifas tentang pijat oksitosin berpengetahuan kurang (60.0%).

Kata kunci : Pengetahuan, Pijat Oksitosin, Ibu Nifas

Ngudi Waluyo University
Undergraduate Study Program of Midwifery, Faculty of Health Sciences
Thesis, Februari 2021
Asri Ainun Habibie
152191078

DESCRIPTION OF PUBLIC MOTHER'S KNOWLEDGE ABOUT OXYTOSIN MASSAGE IN LEREK PUSKESMAS REGIONIN 2020

Abstract

Background: According to the 2016 Indonesian health profile data on the national coverage of exclusive breastfeeding for infants 0 - 5 months of 54.0% and infants up to six months of age, it is 29.5%. Whereas in the Semarang District Health Office in 2014, the coverage of babies who were exclusively breastfed in Semarang Regency in 2014 was 21.3%, decreasing compared to 2013 which was 36.29%. The results of preliminary studies conducted by many postpartum mothers answered that they did not know about oxytocin massage.

Method : This type of research uses descriptive. The population in this study were all postpartum mothers on January 2, 2021, so that the total sampling method was 30 respondents using a questionnaire data collection tool.

Result : The results showed that most of the mothers' knowledge about oxytocin massage was categorized as lacking, namely a number of 18 respondents (60.0%), and sufficient knowledge of 3 respondents (10.0%). Most of the mothers' knowledge was lacking, because mothers with high school education level were 23 respondents (76.7%). In addition, most of the mothers worked as many as 16 respondents (53.3%).

Conclusion: The results of the study concluded that most of the postpartum mothers about oxytocin massage had less knowledge (60.0%).

Keywords: Knowledge, Oxytocin Massage, Postpartum Mother

