

Universitas Ngudi Waluyo
Program studi kebidanan, Fakultas Kesehatan
Skripsi 11, Februari, 2022
Aurea Moreira
NIM : 151201213

GAMBARAN FAKTOR PENYEBAB PERSALINAN *SECTIO CAESAREA* DI HOSPITAL REGIONAL EDUARDO XIMENES (HoREX) BAUCAU

ABSTRAK

Latar Belakang : *Persalinan sectio caesarea* adalah suatu cara untuk melahirkan janin dengan sayatan pada dinding uterus melalui dinding depan perut. Tindakan SC dilakukan untuk mencegah kematian ibu maupun janin yang disebabkan bahaya atau komplikasi yang akan terjadi apabila ibu melahirkan secara persalinan normal. Tujuan untuk mengetahui faktor ibu, janin, ibu dan janin dengan penyebab persalinan *sectio caesarea*. Berdasarkan uraian diatas maka penelitian mengangkat judul mengenai gambaran faktor penyebab persalinan *sectio caesarea* di Hospital Regional Eduardo Ximenes Baucau. **Metode :** desain penelitian ini adalah penelitian deskriptif dengan rancangan cross sectional. Dengan populasi seluruh ibu bersalin *sectio caesarea* di HoREX Baucau dengan berjumlah 250 sampel. Analisis menggunakan presenase yaitu melihat besar kejadian SC berdasarkan penyebabnya. **Hasil :** faktor ibu terdapat 142 dengan 56,8%, faktor janin terdapat 100 dengan 40%, faktor ibu dan janin terdapat 8 dengan 3,2%. **Simpulan :** dari frekuensi faktor ibu berisiko tinggi terhadap re-*sectio caesarea*, yang terendah yaitu induksi gagal. Pada faktor janin tertinggi ditemukan tertinggi letak lintang dan terendah yaitu IUGR, makrosemia dan terlilit tali pusat. Faktor penyebab ibu dan janin tertinggi yaitu gawat janin dan pre eklampsia berat dan terendah gawat janin dan ketuban pecah dini.

Kata Kunci : Faktor Penyebab, Persalinan, *Sectio caesarea*

Ngudi Waluyo University
Study Program of Midwife, Faculty of Health
Final Project, Februari, 2022
Aurea Moreira
SRN : 151201213

AN OVERVIEW OF FACTORS THAT CAUSE SECTION CAESAREA IN THE HOSPITAL REGIONAL EDUARDO XIMENES (HoREX) BAUCAU

ABSTRAC

Background: *Caesarea Sectio* is a labor that is done incision in the front uterus of the abdomen. It is a process that has two priorities to be achieved: that's mother and baby. *Caesarea Sectio* labor is attempted so that there is no death in a mother or to her fetus which may cause harm or complications if labor is carried out normally. The purpose of the study was to find out the factors of mother, fetus, mother and fetus with the cause of childbirth *Caesarea Sectio*. Based on the description above, the study raised the title on the picture of the factors causing *Caesarea Sectio* delivery at Hospital Regional. Eduardo Ximenes Baucau. **Research Method:** This research design is descriptive research with cross sectional design. With a population of all maternity mothers *caesarea sectio* in HoREX Baucau with a total of 250 samples. The analysis uses a percentage that is looking at the magnitude of *Caesarea Sectio* events based on the cause. **The Results of the study:** maternal factor there are 142 with 56.8%, fetal factor there is 100 with 40%, maternal and fetal factors there are 8 with 3.2%. **Conclusion:** from the frequency of factors of high-risk maternal *re-sectio caesarea*, the lowest is failed induction. In the highest fetal factor found the highest location of latitude and lowest, namely IUGR, macrosemia and wrapped around the umbilical cord. The factors causing the mother and fetus are the highest fetal emergency and severe pre-eclampsia and the lowest fetal emergency and premature rupture amniotic fluid.

Keywords: Causative Factors, Childbirth, *Caesarea Sectio*