

Universitas Ngudi Waluyo Ungaran
Program Studi S1 Keperawatan
Skripsi, Agustus 2023
Agnes Bayu Wijayanti
012212021

“Hubungan dukungan keluarga dengan kejadian rawat inap ulang pada pasien dengan gagal jantung kongestif di RSUD Dr. Gondo Suwarno Ungaran Kabupaten Semarang”

xiii + 69 halaman + 10 tabel + 2 gambar + 9 lampiran

ABSTRAK

Latar Belakang : Pasien-pasien CHF sering kembali ke rumah sakit akibat adanya kekambuhan. Pengalaman rawat inap ulang dapat menyebabkan gangguan pada aspek psikologis atau stresor psikososial yang memicu adanya emosi negatif seperti kecemasan, depresi, rasa putus asa, rasa khawatir, dan rasa takut kematian. Salah satu faktor yang mempengaruhi kejadian rawat inap ulang adalah dukungan keluarga.

Tujuan : Mengetahui hubungan dukungan keluarga dengan kejadian rawat inap ulang pada pasien dengan gagal jantung kongestif di RSUD Dr. Gondo Suwarno Ungaran Kabupaten Semarang

Metode : Desain pada penelitian ini menggunakan deskriptif korelasional dengan pendekatan *cross sectional*. Populasi yang diteliti pasien dengan gagal jantung kongestif di RSUD Dr. Gondo Suwarno Ungaran Kabupaten Semarang dengan jumlah sampel 95 orang diambil dengan menggunakan teknik *accidental sampling*. Analisis data yang digunakan adalah *spearman rho test* yang diolah dengan menggunakan program pengolahan data SPSS.

Hasil : Dukungan keluarga mempunyai nilai rata-rata sebesar 48,6526, dengan nilai dukungan terendah sebesar 37,00 dan tertinggi sebesar 56,00. Kejadian *readmission* mempunyai frekuensi rata-rata sebesar 1,5895, dengan frekuensi kejadian rawat inap ulang terendah sebanyak 1,00 dan tertinggi sebanyak 3,00. Ada hubungan yang bermakna dukungan keluarga dengan kejadian rawat inap ulang pada pasien dengan gagal jantung kongestif di RSUD Dr. Gondo Suwarno Ungaran Kabupaten Semarang. Diperoleh nilai r sebesar -0,78 dan $p \text{ value} = 0,000 < 0,05 (\alpha)$.

Kesimpulan : Ada hubungan dukungan keluarga dengan kejadian rawat inap ulang pada pasien dengan gagal jantung kongestif di RSUD Dr. Gondo Suwarno Ungaran Kabupaten Semarang.

Saran : Sebaiknya penderita gagal jantung kongestif meningkatkan kepatuhan pengobatan, diet ataupun periksa ke pusat pelayanan kesehatan sebagai upaya untuk mencegah kejadian rawat inap ulang

Kata Kunci : kecemasan, spiritual *emotional freedom technique*, pasien psikosomatis

Kepustakaan : 31 (2013-2022)

Ngudi Waluyo University
Nursing Study Program
Final Assignment, Agust 2023
Agnes Bayu Wijayanti
012212021

"The relationship between family support and the incidence of rehospitalization in patients with congestive heart failure at RSUD Dr. Gondo Suwarno Ungaran Semarang Regency"

xiii + 69 pages + 10 tables + 2 pictures + 9 attachments

ABSTRACT

Background : CHF patients often return to the hospital due to relapse. Rehospitalization experiences can cause disturbances in psychological aspects or psychosocial stressors that trigger negative emotions such as anxiety, depression, feelings of hopelessness, worry, and fear of death. One of the factors that influence the incidence of readmission is family support.

Objective : To determine the relationship between family support and rehospitalization in patients with congestive heart failure at RSUD Dr. Gondo Suwarno Ungaran, Semarang Regency

Methods: The design in this study uses a correlational descriptive with a cross sectional approach. The population studied was patients with congestive heart failure at RSUD Dr. Gondo Suwarno Ungaran Semarang Regency with a total sample of 95 people was taken using accidental sampling technique. The data analysis used was the Spearman Rho test which was processed using the SPSS data processing program.

Results: Family support has an average value of 48.6526, with the lowest support value of 37.00 and the highest of 56.00. Rehospitalization events have an average frequency of 1.5895, with the lowest rehospitalization event frequency being 1.00 and the highest being 3.00. There is a significant relationship between family support and the incidence of readmission in patients with congestive heart failure at RSUD Dr. Gondo Suwarno Ungaran, Semarang Regency. The r value is -0.78 and p value = $0.000 < 0.05 (\alpha)$.

Conclusion: There is a relationship between family support and rehospitalization in patients with congestive heart failure at RSUD Dr. Gondo Suwarno Ungaran, Semarang Regency.

Suggestion: It is better for people with congestive heart failure to increase their adherence to medication, diet or check-ups at the health service center as an effort to prevent rehospitalization

Keywords : anxiety, spiritual emotional freedom technique, psychosomatic patients

Literature : 31 (2013-2023)