

Cesaltina Bui Pereira

Program Studi S1 Keperawatan, Universitas Ngudi Waluyo

HUBUNGAN DUKUNGAN KELUARGA DENGAN KEMANDIRIAN PASIEN SKIZOFRENIA DALAM PEMENUHAN *ACTIVITY DAILY LIVING* (ADL) DI *CENTRU SAUDE MENTAL SAO BENTO* MENNI MUNICIPIO BOBONARO 2024

Abstrak

Pendahuluan: Skizofrenia merupakan masalah gangguan jiwa yang berat, dan masih menjadi masalah yang serius karena dampak yang diakibatkannya. Penderita skizofrenia lebih dari 80% tidak diobati dan tidak ditangani secara optimal baik dari keluarga maupun tim medis.

Tujuan: untuk mengetahui hubungan dukungan keluarga dengan kemandirian pasien skizofrenia dalam pemenuhan *Activity Daily Living* (ADL) di *Centru Saude Sao Bento Menni Municipio Maliana*.

Metode: Desain penelitian ini adalah *desain studi korelasional* yaitu penelitian yang bertujuan mengetahui ada tidaknya hubungan antara variabel bebas dan variabel terikat. Populasi dalam penelitian ini adalah semua keluarga yang merawat pasien skizofrenia di Puskesmas Sao Bento Menni sejumlah 88 keluarga.

Hasil penelitian: Hasil penelitian menunjukkan bahwa yang dukungan keluarga dengan tingkat sedang berjumlah 45 responden (62,5%). Uji spearman correlation menunjukkan bahwa adanya hubungan dukungan keluarga terhadap kemandirian pemenuhan kebutuhan ADL bagi penderita skizofrenia dengan p-value 0,000.

Kesimpulan: Adanya hubungan antara dukungan keluarga terhadap kemandirian pemenuhan kebutuhan ADL pada penderita skizofrenia.

Kata kunci: Dukungan keluarga, skizofrenia, *Activity Daily Living*

THE RELATIONSHIP OF FAMILY SUPPORT WITH THE INDEPENDENCE OF SCHIZOPHRENIA PATIENTS IN FULFILLING DAILY LIVING ACTIVITIES (ADL) AT MENTAL HEALTH CENTER SAO BENTO MENNI MUNICPIO BOBONARO 2024

Abstract

Introduction: Schizophrenia is a serious mental disorder, and is still a serious problem because of the impacts it causes. More than 80% of schizophrenia sufferers are not treated and are not handled optimally by either the family or the medical team.

Objective: to determine the relationship between family support and the independence of schizophrenia patients in fulfilling Activity Daily Living (ADL) at Centru Saude Sao Bento Menni Municipio Maliana.

Method: The design of this research is a correlational study design, namely research that aims to determine whether there is a relationship between the independent variable and the dependent variable. The population in this study were all families who cared for schizophrenic patients at the Sao Bento Menni Community Health Center, a total of 88 families.

Research results: The research results showed that those with moderate levels of family support around 45 respondents (62.5%). The Spearmen correlation test shows that there is a relationship between family support and independence in fulfilling ADL needs for schizophrenia patients with a p-value of 0.000.

Conclusion: There is a relationship between family support and independence in fulfilling ADL needs in schizophrenia patients.

Key words: Family support, schizophrenia, Activity Daily Living