

## ABSTRAK

Universitas Ngudi Waluyo  
Program Studi S1 Keperawatan Fakultas Ilmu Keperawatan  
Skripsi Agustus 2024  
Yuspina Lambaran  
017231006

### **Gambaran Penyebab Ketidapatuhan Minum Obat Pada Penderita Hipertensi Di Rumah Sakit Restu Ibu Balikpapan**

**Latar Belakang:** Hipertensi merupakan penyakit tidak menular yang menjadi masalah kesehatan masyarakat secara global, regional, nasional dan lokal. Kepatuhan pengobatan pasien hipertensi juga merupakan faktor penting, karena hipertensi merupakan penyakit yang tidak dapat disembuhkan tetapi harus selalu dikontrol atau dikendalikan agar tidak terjadi komplikasi yang dapat berujung pada kematian.

**Metode:** Penelitian ini merupakan penelitian kuantitatif dengan desain Korelatif. Pengambilan sampel menggunakan teknik purposive sampling dengan jumlah sampel 74 responden. Pengumpulan data menggunakan kuesioner MMAS.

**Hasil:** Hasil dari penelitian ini responden yang tidak patuh dalam mengkonsumsi obat hipertensi karena lupa sebanyak 36 responden (45,6%), merasa sehat sebanyak 28 responden (35,4%), merasa bosan sebanyak 14 responden (17,7%), sengaja tidak minum obat sebanyak 1 responden (1,3%).

**Kesimpulan:** Penyebab ketidapatuhan dominan tinggi karena lupa minum obat hipertensi sebanyak 36 responden (45,6%).

**Kata Kunci:** Penyebab Ketidapatuhan, Hipertensi

## ABSTRACT

Ngudi Waluyo University  
Bachelor of Nursing Study Program, Faculty of Nursing  
Thesis August 2024  
Yuspina Lambaran  
017231006

### **Description of the causes of non-compliance with taking medication in hypertension sufferers at Restu Ibu Hospital in Balikpapan**

**Background:** Hypertension is a non-communicable disease that is a global, regional, national and local public health problem. Compliance with treatment for hypertensive patients is also an important factor, because hypertension is a disease that cannot be cured but must always be controlled or controlled so that complications do not occur which can lead to death.

**Method:** This research is a quantitative research with a correlative design. Sampling used purposive sampling technique with a total sample of 74 respondents. Data collection used the MMAS questionnaire.

**Results:** The results of this study were that 36 respondents (45.6%) were disobedient in taking hypertension medication because they forgot, 28 respondents (35.4%) felt healthy, 14 respondents (17.7%) felt bored. 1 respondent (1.3%) deliberately did not take medication.

**Conclusion:** The dominant cause of non-compliance was because 36 respondents (45.6%) forgot to take hypertension medication.

**Keywords:** Causes of Non-Compliance, Hypertension