

Universitas Ngudi Waluyo
Kebidanan Program Sarjana Fakultas Kesehatan
Skripsi, Juli 2024
Yulinda Yasa Putri
151201014

GAMBARAN TINGKAT PENGETAHUAN AKSEPTOR KB SUNTIK TENTANG PENANGANAN EFEK SAMPING KB SUNTIK 3 BULAN DI PUSKESMAS LEYANGAN 2024.

ABSTRAK

Latar Belakang : Efek samping KB suntik 3 bulan adalah dampak dari KB suntik 3 bulan yang tidak diinginkan. Pengetahuan tentang jenis alat kontrasepsi, keuntungan, dan efek samping akan mempengaruhi seseorang untuk memilih jenis kontrasepsi yang sesuai. Beberapa faktor yang dapat mempengaruhi pengetahuan seperti ekonomi, lingkungan, pendidikan, sosial, budaya, pekerjaan, informasi/media massa, usia dan pengalaman. Di Puskesmas Leyangandidapatkan cakupan KB aktif pada bulan januari – maret adalah 102 akseptor, cakupan KB Suntik 3 bulan dan 1 bulan memiliki cakupan yang paling tinggi yaitu mencapai (44,6%) dari seluruh jumlah akseptor dengan rincian KB suntik 1 bulan sejumlah 11 akseptor dan KB suntik 3 bulan sejumlah 34 akseptor

Tujuan penelitian: Untuk menganalisa Gambaran Tingkat Pengetahuan Akseptor KB Suntik Tentang Efek Samping KB Suntik 3 Bulan Di Wilayah Kerja Puskesmas Leyangan.

Metode Penelitian : Penelitian ini menggunakan desain deskriptif kuantitatif dengan pendekatan *cross sectional*. Populasi dalam penelitian ini adalah akseptor KB suntik 3 bulan di Puskesmas Leyangan pada bulan Maret- April yaitu sejumlah 42..Teknik sampling pada penelitian ini menggunakan *total sampling* dengan jumlah sampel sebanyak 42 responden. Analisis data menggunakan analisis deskriptif yaitu penelitian yang dilakukan dengan tujuan utama membuat gambaran tentang suatu keadaan secara objektif.

Hasil Penelitian : Didapatkan Sebagian besar responden berada pada kategori pengetahuan cukup sebanyak 16 (38,1%), sebagian responden memiliki pengetahuan kurang sebanyak 14 (33,3 %), dan sebagian kecil responden memiliki pengetahuan baik sebanyak 12 (28,6%) sebagian besar responden berada pada kategori pengetahuan cukup sebanyak 18 (42,9%) berdasarkan tentang jenis-jenis efek samping, sebagian besar responden berada pada kategori pengetahuan cukup sebanyak 20 (47,6%), berdasarkan gejala dan keluhan.sebagian besar responden berada pada kategori pengetahuan kurang sebanyak 17 (40,5%), berdasarkan penanganan efek samping KB suntik 3 bulan.

Kesimpulan: Sebagian besar responden berada pada kategori pengetahuan cukup sebanyak 16 (38,1%)

Kata kunci : Pengetahuan, Efek samping, KB Suntik 3 bulan

Ngudi Waluyo University
Midwifery Undergraduate Program, Faculty of Health
Thesis, July 2024
Yulinda Yasa Putri
151201014

DESCRIPTION OF THE LEVEL OF KNOWLEDGE OF KB INJECTION ACCEPTORS REGARDING MANAGEMENT OF SIDE EFFECTS OF 3-MONTH KB INJECTIONS IN THE LEYANGAN PUSKESMAS 2024.

ABSTRACT

Background: 3 month injection contraceptive side effects are unwanted effects of 3 month injection contraceptive. Knowledge about types of contraception, advantages and disadvantages will influence a person to choose the appropriate type of contraception. Several factors can influence knowledge such as economic, environmental, educational, social, cultural, employment, information/mass media, age and experience. In the Leyangan Community Health Center area, it was found that active family planning coverage in January - March was 102 acceptors, 3 month and 1 month injection family planning coverage had the highest coverage, reaching (44.6%) of the total number of acceptors with details of 1 month injection family planning at 11 There were 34 acceptors and 3-month KB injections

Research objective: To analyze the description of the level of knowledge of birth control injection acceptors regarding the side effects of 3-month birth control injections in the Leyangan Community Health Center work area.

Research Method: This research uses a quantitative descriptive design with a cross sectional approach. The population in this study were 3-month injectable birth control acceptors at the Leyangan Community Health Center in March-April, namely 42. The sampling technique in this study used total sampling with a sample size of 42 respondents. Data analysis uses descriptive analysis, namely research carried out with the main aim of creating an objective picture of a situation.

Research Results: It was found that the majority of respondents were in the sufficient knowledge category, 16 (38.1%), some respondents had poor knowledge, 14 (33.3%), and a small number of respondents had good knowledge, 12 (28.6%), most of the respondents were in the sufficient knowledge category, 18 (42.9%) based on the types of side effects, most of the respondents were in the sufficient knowledge category, 20 (47.6%), based on symptoms and complaints. in the lack of knowledge category, there were 17 (40.5%), based on handling side effects of 3-month contraceptive injections.

Conclusion: Most of the respondents were in the sufficient knowledge category, 16 (38.1%)

Keywords: Knowledge, side effects, 3 month contraceptive injection