

Universitas Ngudi Waluyo
Fakultas Ilmu Kesehatan
Program Studi Farmasi
Skripsi, Februari 2019
Ardita, Yulistiawan

TINGKAT KEPATUHAN MINUM OBAT ANTIHIPERTENSI PADA PASIEN HIPERTENSI TANPA PENYAKIT PENYERTA DI PUSKESMAS SUMOWONO

ABSTRAK

Latar Belakang: Hipertensi adalah penyakit kronis yang sering disebut *the silent killer* dan memiliki prevalensi yang cukup tinggi. Tingkat kepatuhan minum obat merupakan faktor utama penentu keberhasilan terapi. Kepatuhan serta pemahaman yang baik dalam menjalankan terapi dapat mempengaruhi tekanan darah dan dapat mencegah terjadinya komplikasi. Mengidentifikasi tingkat kepatuhan minum obat antihipertensi pada pasien hipertensi tanpa penyakit penyerta di Puskesmas Sumowono ditinjau dari hasil nilai MMAS-8.

Metode: Penelitian ini termasuk dalam penelitian jenis non eksperimental dengan rancangan deskriptif. Pengambilan sampel dilakukan secara *total sampling* yang dianalisis dengan cara deskriptif. Sampel yang diperoleh sebanyak 22 responden.

Hasil: Hasil penelitian ini menunjukkan. 9 responden memiliki kepatuhan tinggi 40,9%, 7 responden memiliki kepatuhan sedang 31,8%, 6 responden memiliki kepatuhan 27,3%.

Kesimpulan: Berdasarkan analisis deskriptif tingkat kepatuhan minum obat di Puskesmas Sumowono memiliki kepatuhan minum obat yang tinggi (40,9%). Pasien hipertensi tanpa penyakit penyerta di Puskesmas Sumowono patuh dalam minum obat antihipertensi.

Kata Kunci: Hipertensi, Tanpa Penyakit Penyerta, Tingkat Kepatuhan, MMAS-8.

Universitas Ngudi Waluyo
Faculty of Health Sciences
Pharmacy Study Program
Final Project, February 2019
Ardita, Yulistiawan

LEVEL ANTIHYPERTENSION DRUG COMPLIANCE IN HYPERTENSION PATIENTS COMORBIDITIES IN SUMOWONO PUBLIC HEALTH CENTER

ABSTRACT

Background: Hypertension is a chronic disease that is often called *the silent killer* and has a fairly high prevalence. The level of compliance to take medication is a major factor to determine the success of therapy. Compliance and a good understanding in carrying out therapy can affect blood pressure and can prevent complications. To identify the level of compliance to take antihypertensive drugs in hypertensive patients without comorbidities at Sumowono Health Center in terms of the MMAS-8 scores.

Method: This research is a non-experimental research with a descriptive design. Sampling was done in *total sampling*, analyzed in a descriptive manner. Samples obtained were 22 respondents.

Result: The results of this study showed. 9 respondents had high compliance 40.9%, 7 respondents had moderate compliance 31.8%, 6 respondents had compliance 27.3%.

Conclusion: Based on a descriptive analysis of the level of compliance with taking drugs at the Sumowono Public Health Center has a high level of taking medication (40.9 %). Hypertension patients without comorbidities in Sumowono Public Health Center are compliant in taking antihypertensive medication.

Keywords: Hypertension, No Accidental Disease , Compliance Level, MMAS-8.